



# MATERIAL SAFETY DATA SHEET

in accordance with Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH), Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 and Commission Regulation (EU) No 2020/878 of 18 June 2020

## Fragrance Vanilla and Oriental Sweets DBB 74990

version No. EN 6

date of update: 08.09.2025

print: 04.03.2026

### IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING:

#### 1.1. Product identifier:

MIXTURE IDENTIFICATION: Fragrance, flavour, auto cosmetology, industrial and home chemistry  
Trade name: Fragrance Vanilla and Oriental Sweets DBB 74990  
Product number: 74990  
UFI Code: 5SQ0-52RW-2009-VGA3  
E-MAIL OF THE SUPPLIER: info@aromanova.de

#### 1.2. RELEVANT IDENTIFIED USES OF THE SUBSTANCE OR MIXTURE AND USES ADVISED AGAINST:

RECOMMENDED USE: Aromatic ingredient for household chemicals and cosmetics. Manufacturing use only, not for direct consumption as such.

USES ADVISED AGAINST: Do not use in food.

#### 1.3. DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET:

COMPETENT PERSON RESPONSIBLE FOR THE MATERIAL SAFETY DATA SHEET: Aroma Nova GmbH

ADDRESS OF THE SUPPLIER: Germany, 96114, Hirschaid, Löserstrasse, 4 Einheit 052-045  
TELEPHONE NUMBER OF THE SUPPLIER: + 49(0) 17684916016

#### 1.4. EMERGENCY CONTACTS:

IN CASE OF INTOXICATION: "LATVIA - State fire and rescue service: (+371) 112; (+371) 113;  
The national poison information center: +371 67042468;  
GERMANY - International emergency number: +49 180 2273-112. Transport Emergency phone number: (24 h service), phone: +49 621 60-43333;  
UNITED KINGDOM - National Poisons Information Service (24 h service), phone: +44 (0) 844-892-0111 (UK only);  
FRANCE - INRS FRANCE: phone: +33 (0)1 45 42 59-59.  
CZECH REPUBLIC – Klinika pro aorního lékařství VFN a 1. LF UK, Na Bojišti 1, 120 00, Praha 2 224 91 92 93, 224 91 54 02 (nepřet žitě)  
FOR OTHER EU COUNTRIES, please consult:  
[http://echa.europa.eu/help/nationalhelp\\_contact\\_en.asp](http://echa.europa.eu/help/nationalhelp_contact_en.asp)"

## SECTION 2 - HAZARDS IDENTIFICATION

### 2.1. CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

Classification according to regulation (EC) No 1272/2008 (CLP)

Product definition	Mixture
H411	Aquatic Chronic 2
H317	Skin Sens. 1
H332	Acute Tox. 4
H319	Eye Irrit. 2

Please refer to section 16 for details.

### 2.2. LABEL ELEMENTS

**Labelling according to Regulation (EC) (CLP)**

Hazardous substances:

Hazard pictograms:



Signal word

Warning

Hazard statements

H411

Toxic to aquatic life with long lasting effects.

H317

May cause an allergic skin reaction.

H332

Harmful if inhaled.

H319

Causes serious eye irritation.

**Precautionary statements (Prevention and Intervention)**

P273

Avoid release to the environment.

P261

Avoid breathing dust/fumes/gas/mist/vapours/spray.

P272

Contaminated work clothing should not be allowed out of the workplace.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P271

Use only outdoors or in a well-ventilated area.

P264

Wash thoroughly after handling.

P302+P352

IF ON SKIN: Wash with plenty of soap and water.

P333+P313

If skin irritation or rash occurs: Get medical advice/attention.

2.3. OTHER HAZARDS

No data available

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

3.1 SUBSTANCES:

Mixture of natural, nature identical and synthetic aromatic products.

3.2 MIXTURES:

Mixture of natural and synthetic aromatic ingredients.

3.2 Hazardous components:

INGREDIENTS	%	CAS No. / EC No. Index No. / REACH No.	Classification REGULATION (EC) No 1272/2008
Benzyl Benzoate (IUPAC: BENZYL BENZOATE )	<60%	CAS No. 120-51-4 EC No. 204-402-9 Index No. REACH No.01-2119976371-33-xxxx	Aquatic Chronic 2:H411 Acute Tox. 4 ORAL H302 :H302
Hexyl Cinnamic Aldehyde Alpha (IUPAC: (2E)-2-(PHENYLMETHYLID ENE)OCTANAL )	<8,6%	CAS No. 101-86-0 165184-98-5 EC No. 202-983-3 Index No. REACH No.01-2119533092-50-xxxx	Aquatic Chronic 2:H411 Skin Sens. 1:H317 Aquatic Acute 1:H400 M=1 M Chr=1
Benzyl Salicylate (IUPAC: BENZYL 2-HYDROXYBENZOATE )	<6%	CAS No. 118-58-1 EC No. 204-262-9 Index No. REACH No.01-2119969442-31-xxxx	Skin Sens. 1B:H317 Eye Irrit. 2:H319 Aquatic Chronic 3 :H412
Ethylene Brassylate (IUPAC: 1,4-DIOXACYCLOHEPTAD ECANE-5,17-DIONE )	<5,6%	CAS No. 105-95-3 EC No. 203-347-8 Index No. REACH No.01-2119976314-33-xxxx	Aquatic Chronic 3 :H412
Linalool (IUPAC: 3,7-DIMETHYLOCTA-1,6-DI EN-3-OL )	<2,41%	CAS No. 78-70-6 EC No. 201-134-4 Index No.603-235-00-2 REACH No.01-2119474016-42-xxxx	Skin Sens. 1B:H317 Skin Irrit. 2:H315 Eye Irrit. 2:H319

Aldehyde C-14 (IUPAC: 5-HEPTYLOXOLAN-2-ONE )	<2%	CAS No. 104-67-6 EC No. 203-225-4 Index No. REACH No.01-2119959333-34-xxxx	Aquatic Chronic 3 :H412
Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1H,3H,4H,6H,7H,8H-INDEN O[5,6-C]PYRAN )	<2%	CAS No. 1222-05-5 EC No. 214-946-9 Index No.603-212-00-7 REACH No.01-2119488227-29-xxxx	Aquatic Chronic 1:H410 Aquatic Acute 1:H400 M Chr=1
Ethyl Vanillin (IUPAC: 3-ETHOXY-4-HYDROXYBENZALDEHYDE )	<1,8%	CAS No. 121-32-4 EC No. 204-464-7 Index No. REACH No.	Eye Irrit. 2:H319
Florol (IUPAC: 2-(ISOBUTYL)-4-HYDROXY-4-METHYL TETRAHYDROPYRAN )	<1,76%	CAS No. 63500-71-0 EC No. 405-040-6 Index No. REACH No.	Eye Irrit. 2:H319
Anisic Aldehyde (IUPAC: 4-METHOXYBENZALDEHYDE )	<1,2%	CAS No. 123-11-5 EC No. 204-602-6 Index No. REACH No.01-2119977101-43-xxxx	Repr. 2 :H361 Aquatic Chronic 3 :H412
Allyl Cyclo Hexyl Propionate (IUPAC: PROP-2-EN-1-YL 3-CYCLOHEXYLPROPANOATE )	<0,8%	CAS No. 2705-87-5 EC No. 220-292-5 Index No. REACH No.01-2119976355-27-xxxx	Aquatic Chronic 1:H410 Acute Tox. 4 ORAL H302 :H302 Skin Sens. 1B:H317 Aquatic Acute 1:H400 Acute Tox. 4 INHALATION:H332 Acute Tox. 4 SKIN:H312 M=1 M Chr=1
Baccanol (Srandanol) (IUPAC: (E)-2-ETHYL-4-(2,2,3-TRIMETHYL-1-CYCLOPENT-3-ENYL)BUT-2-EN-1-OL )	<0,28%	CAS No. 28219-61-6 106185-75-5 EC No. 248-908-8 Index No. REACH No.	Aquatic Chronic 1:H410 Eye Irrit. 2:H319 M Chr=1
Cyclamen Aldehyde (IUPAC: 2-METHYL-3-[4-(PROPAN-2-YL)PHENYL]PROPANAL )	<0,2%	CAS No. 103-95-7 EC No. 203-161-7 Index No. REACH No.01-2119970582-32-xxxx	Skin Sens. 1B:H317 Skin Irrit. 2:H315 Aquatic Chronic 3 :H412 M Chr=1
Helional (Helioven) (IUPAC: 3-(2H-1,3-BENZODIOXOL-5-YL)-2-METHYLPROPANAL )	<0,13%	CAS No. 1205-17-0 EC No. 214-881-6 Index No. REACH No.01-2120740119-58-xxxx	Aquatic Chronic 2:H411 Skin Sens. 1B:H317 Repr. 2 :H361
Allyl Heptanoate (IUPAC: PROP-2-EN-1-YL HEPTANOATE )	<0,12%	CAS No. 142-19-8 EC No. 205-527-1 Index No. REACH No.01-2119488961-23-xxxx	Aquatic Chronic 2:H411 Acute Tox. 3 SKIN:H311 Aquatic Acute 1:H400 Acute Tox. 3 ORAL:H301 M=10
Benzoic Aldehyde (Benzaldehyde) (IUPAC: BENZALDEHYDE )	<0,02%	CAS No. 100-52-7 EC No. 202-860-4 Index No.605-012-00-5 REACH No. 01-2119455540-44-0000	Acute Tox. 4 ORAL H302 :H302
BHT (IUPAC: 2,6-DI-TERT-BUTYL-4-METHYLPHENOL )	<0,01%	CAS No. 128-37-0 EC No. 204-881-4 Index No. REACH No. 01-2119555270-46-0000	Aquatic Chronic 1:H410 M Chr=1

#### SECTION 4 - FIRST-AID MEASURES

Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention immediately.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

#### 4.2. Most important symptoms and effects, both acute and delayed

## General information

Persons suffering from asthma, eczema or skin problems should avoid contact, including dermal contact, with this product. See Section 11 for additional information on health hazards.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Notes for the doctor No specific recommendations.**

**SECTION 5 - FIRE-FIGHTING MEASURES**

## 5.1 Extinguishing media:

Suitable extinguishing media Extinguish with the following media: Foam, carbon dioxide or dry powder.

Unsuitable extinguishing media Water.

**5.2. Special hazards arising from the substance or mixture**

Specific hazards Toxic gases or vapours

**5.3. Advice for firefighters**

Protective actions during firefighting Containers close to fire should be removed or cooled with water.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Look section 13

**6.2. Environmental precautions**

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.4. Reference to other sections 8; 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid contact with skin, eyes and clothing.

Advice on general occupational hygiene Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet.

**7.2. Conditions for safe storage, including any incompatibilities**

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from heat, sparks and open flame. Protect from freezing and direct sunlight. Storage temperature: from 0 to 30 °C

7.3. Specific end use(s) See sections 1 and 2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters:**

INGREDIENT	CAS No	TWA, 8 hours
Benzoic Aldehyde (Benzaldehyde)	100-52-7	TWA= 5* mg/m <sup>3</sup>

ADDITIONAL INFORMATION: Information valid at the time of review of safety data sheet.

**8.2. EXPOSURE CONTROLS:**

**ENGINEERING MEASURES: Comply with standard precautionary measures for working with chemicals. See Directive 2004/37/EG on the protection of workers from the risks related to exposure to carcinogens or mutagens at work. HYGIENIC MEASURES: When using do not eat, drink or smoke.**

GENERAL PROTECTIVE AND HYGIENIC MEASURES:	Avoid contact with the eyes. Wash hands during work breaks and at the end of the shift. Provide skin protection plan.
RESPIRATORY PROTECTION:	Avoid excessive inhalation of concentrated vapors. Ensure adequate ventilation. If workers are exposed to high concentrations, they must use appropriate, certified respirators. Wear suitable respiratory protection in case of large scale exposure. Suitable facemask in accordance with EN 140.
BODY PROTECTION:	Protective clothing. Safety showers should be available in the immediate vicinity of any potential exposure. Wear appropriate protective clothing, overalls or suit, and similar boots in accordance with EN 365/367.
EYE PROTECTION:	Wear appropriate safety glasses with side shields, in accordance with EN 166, when there is danger of possible eye contact. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.
Hygiene measures	No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products.
HAND PROTECTION:	Chemical protective gloves according to DIN EN 374 with CE-labelling. Suitable material - nitril. 0.13 mm. Indication of permeation breakthrough time – 1 hour. Check the condition of protective gloves after each use for any damages like holes, cuts or tears. Do not wear protective gloves longer than necessary. After use of gloves apply skin-cleaning agents and skin cosmetics. Gloves for mechanical protection do not provide protection against chemicals.
RISK MANAGEMENT MEASURES:	The operators shall be instructed adequately. The workplace shall be inspected regularly by competent personnel e.g. the safety representative.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Homogeneous transparent liquid , opalescence is allowed.
Colour:	From colorless to brown
Odour:	Fragrance description
Freezing point:	< 0 °C
Boiling point, °C:	No data available
Explosion	Not explosive
Combustibility	It doesn't burn
Lower and upper explosive limits:	Not explosive
Flash point:	It doesn't burn
Autoignition temperature:	No spontaneous combustion
Decomposition temperature:	No data available
pH:	Not stable
Kinematic viscosity:	No data available
Solubility in alcohol:	Soluble
Solubility in water:	Limited solubility
Partition coefficient n octanol/water (log mean):	No data available

Steam pressure	No data available
Density, 20 °C:	0.9 – 1.6 g/cm <sup>3</sup>
Relative vapor density:	No data available
flammability:	Non-flammable
Part characteristics	No

## 9.2. OTHER INFORMATION: No data available

**SECTION 10: STABILITY AND REACTIVITY**

10.1. REACTIVITY:	The product is stable and relatively inert under normal conditions of use, storage and transport.
10.2. CHEMICAL STABILITY:	Under the conditions of use specified in Section 7, the product is stable.
10.3. POSSIBILITY OF HAZARDOUS REACTION:	Under normal conditions of use, there is no information on dangerous reactions.
10.4. CONDITIONS TO AVOID:	Contact with incompatible materials.
10.5. INCOMPATIBLE MATERIALS:	Strong acids, strong bases, strong oxidants.
10.6. HAZARDOUS DECOMPOSITION PRODUCTS:	No decomposition product of storage and handling conditions are followed. In case of fire, hazardous gases may form.

**SECTION 11: TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

## INHALATION

Acute toxicity:	Calculated ATEmix (LC50)= 11,97 mg/l. Ingredients of unknown toxicity>10%: 88,13 %.10 < ATEmix > 20 mg/l. Is classified as Acute toxicity, Hazard Category 4
Corrosion/irritation:	Does not have any classifiable toxicity.
Sensitisation:	Classified as Sensitisation — Skin, hazard category 1.
Carcinogenicity:	Does not have any classifiable toxicity.
Mutagenicity:	Does not have any classifiable toxicity.

## SKIN CONTACT:

Acute toxicity:	Calculated ATEmix (LD50)= 3 554,47 mg/kg. Ingredients of unknown toxicity>10%: 67,38 %.Not classified
Corrosion/irritation:	Does not have any classifiable toxicity.
Sensitisation:	Classified as Sensitisation — Skin, hazard category 1.
Carcinogenicity:	Does not have any classifiable toxicity.
Mutagenicity:	Does not have any classifiable toxicity.

## EYE CONTACT:

Corrosion/irritation:	Does not have any classifiable toxicity.
-----------------------	--

## INGESTION:

Acute toxicity:	Calculated ATEmix (LD50) = 2 303,39 mg/kg. Ingredients of unknown toxicity>10%: 5,38 %.Not classified
Corrosion/irritation:	Does not have any classifiable toxicity.
Sensitisation:	Classified as Sensitisation — Skin, hazard category 1.
Carcinogenicity:	Does not have any classifiable toxicity.
Mutagenicity:	Does not have any classifiable toxicity.
Reprotoxicity:	Does not have any classifiable toxicity.

**Toxicological information:**

Ingredients Name:	CAS No.	LD50 (oral)	LD50 (Dermal)	LC50 (Inhalation)
Benzyl Benzoate (IUPAC: BENZYL BENZOATE )	120-51-4	2 000 mg/kg	No data	No data

Hexyl Cinnamic Aldehyde Alpha (IUPAC: (2E)-2-(PHENYLME THYLIDENE)OCTA NAL )	101-86-0 165184-98-5	3 100 mg/kg	3 000 mg/kg	3,56 mg/l
Benzyl Salicylate (IUPAC: BENZYL 2-HYDROXYBENZ OATE )	118-58-1	3 339 mg/kg	2 000 mg/kg	No data
Ethylene Brassylate (IUPAC: 1,4-DIOXACYCLOH EPTADECANE-5,17 -DIONE )	105-95-3	5 000 mg/kg	5 000 mg/kg	No data
Linalool (IUPAC: 3,7-DIMETHYLOCT A-1,6-DIEN-3-OL )	78-70-6	2 790 mg/kg	5 610 mg/kg	3 200 mL/kg bw
Aldehyde C-14 (IUPAC: 5-HEPTYLOXOLAN -2-ONE )	104-67-6	4 300 mg/kg	2 000 mg/kg	No data
Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAM ETHYL-1H,3H,4H,6 H,7H,8H-INDENO[5 ,6-C]PYRAN )	1222-05-5	No data	>3 250 mg/kg	No data
Ethyl Vanillin (IUPAC: 3-ETHOXY-4-HYDR OXYBENZALDEHY DE )	121-32-4	3 160 mg/kg	2 000 mg/kg	No data
Florol (IUPAC: 2-(ISOBUTYL)-4-H YDROXY-4-METHY L TETRAHYDROPYR AN )	63500-71-0	2 000 mg/kg bw	2 000 mg/kg bw	No data
Anisic Aldehyde (IUPAC: 4-METHOXYBENZ ALDEHYDE )	123-11-5	3 210 mg/kg	No data	No data
Allyl Cyclo Hexyl Propionate (IUPAC: PROP-2-EN-1-YL 3-CYCLOHEXYLPR OPANOATE )	2705-87-5	585 mg/kg	No data	No data
Cyclamen Aldehyde (IUPAC: 2-METHYL-3-[4-(PR OPAN-2-YL)PHENY L]PROPANAL )	103-95-7	2 000 mg/kg	No data	No data

Helional (Helioven) (IUPAC: 3-(2H-1,3-BENZODI OXOL-5-YL)-2-MET HYLPROPANAL )	1205-17-0	3 362 mg/kg	2 000 mg/kg	No data
Allyl Heptanoate (IUPAC: PROP-2-EN-1-YL HEPTANOATE )	142-19-8	218 mg/kg	810 mg/kg	No data
Benzoic Aldehyde (Benzaldehyde) (IUPAC: BENZALDEHYDE )	100-52-7	1 430 mg/kg bw	>2 000 mg/kg bw	>>5 mg/l
BHT (IUPAC: 2,6-DI-TERT-BUTY L-4-METHYLPHEN OL )	128-37-0	6 000 mg/kg bw	>2 000 mg/kg bw	No data

11.2. PRIMARY IRRITANT  
EFFECT:

Does not have any classifiable toxicity

11.2.1 ENDOCRINE  
DISRUPTING PROPERTIES:

Benzyl Salicylate (IUPAC: BENZYL  
2-HYDROXYBENZOATE ),Musk 50 IPM (IUPAC:  
4,6,6,7,8,8-HEXAMETHYL-1H,3H,4H,6H,7H,8H-INDENO  
PYRAN ),BHT (IUPAC:  
2,6-DI-TERT-BUTYL-4-METHYLPHENOL )

11.3. SENSITISATION:

Classified as Sensitisation — Skin, hazard category 1.

11.4 CHRONIC EFFECT:

Classified as Hazardous to the aquatic environment —  
Chronic Category 2.

11.5 TARGET ORGANS:

Does not have any classifiable toxicity.

11.6. CARCINOGENICITY:

Does not have any classifiable toxicity.

11.7. MUTAGENICITY:

Does not have any classifiable toxicity.

11.8. REPROTOXICITY:

Does not have any classifiable toxicity.

## SECTION 12: ECOLOGICAL INFORMATION

12.1. TOXICITY:

Acute:

Does not have any classifiable toxicity.

Chronic:

Classified as Hazardous to the aquatic environment —  
Chronic Category 2.

Ingredients Toxicity:

AQUATIC TOXICITY:

Benzyl Benzoate (IUPAC: BENZYL BENZOATE )	
120-51-4	
EC50/72 H	311 (Aquatic algae and cyanoba)
LC50/48 H	7,77 mg/l(Aquatic invertebrates)
EC50/48 H	3,09 mg/l(Aquatic invertebrates)
LC50/24 H	11 mg/l(Aquatic invertebrates)
LC50/96 H	2,32 mg/l(Fish)
EC50/24 H	4,26 mg/l(Fish)
Hexyl Cinnamic Aldehyde Alpha (IUPAC: (2E)-2-(PHENYLMETHYLIDENE)OCTANAL )	
101-86-0 165184-98-5	
EC50/72 H	65 (Algae)
EC50/48 H	475 (Aquatic invertebrates)
LC50/96 H	1,7 mg/l(Fish)
Benzyl Salicylate (IUPAC: BENZYL 2-HYDROXYBENZOATE )	
118-58-1	

EC50/72 H	1,29 mg/l(Aquatic algae and cyanoba)
LC50/48 H	2,25 mg/l(Aquatic invertebrates)
EC50/48 H	1,16 mg/l(Aquatic invertebrates)
LC50/24 H	4,34 mg/l(Aquatic invertebrates)
EC50/24 H	1,21 mg/l(Aquatic invertebrates)
LC50/96 H	1,03 mg/l(Fish)
Ethylene Brassylate (IUPAC: 1,4-DIOXACYCLOHEPTADECANE-5,17-DIONE )	
105-95-3	
EC50/72 H	14,579 mg/l(Aquatic algae and cyanoba)
EC50/96 H	788 (Aquatic algae and cyanoba)
LC50/48 H	2,67 mg/l(Aquatic invertebrates)
LC50/96 H	2,13 mg/l(Fish)
Linalool (IUPAC: 3,7-DIMETHYLOCTA-1,6-DIEN-3-OL )	
78-70-6	
EC50/96 H	122,5 mg/l(Algae)
EC50/96 H	59 mg/l(Aquatic invertebrates)
LC50/96 H	27,8 mg/l(Fish)
LC50/72 H	27,8 mg/l(Fish)
LC50/48 H	27,8 mg/l(Fish)
Aldehyde C-14 (IUPAC: 5-HEPTYLOXOLAN-2-ONE )	
104-67-6	
EC50/48 H	5,94 mg/l(Algae)
EC50/48 H	4,9265 mg/l(Aquatic invertebrates)
EC50/21days	2,385 mg/l(Aquatic invertebrates)
LC50/96 H	25,55 mg/l(Fish)
Musk 50 IPM (IUPAC: 4,6,6,7,8,8-HEXAMETHYL-1H,3H,4H,6H,7H,8H-INDENO[5,6-C]PYRAN )	
1222-05-5	
EC50/72 H	854 µg/L(Aquatic algae and cyanoba)
EC50/48 H	300 µg/L(Aquatic invertebrates)
LC50/96 H	950 µg/L(Fish)
Ethyl Vanillin (IUPAC: 3-ETHOXY-4-HYDROXYBENZALDEHYDE )	
121-32-4	
EC50/72 H	100 mg/l(Aquatic algae and cyanoba)
EC50/48 H	26,2 mg/l(Aquatic invertebrates)
EC50/21days	63 mg/l(Aquatic invertebrates)
LC50/96 H	87,6 mg/l(Fish)
Florol (IUPAC: 2-(ISOBUTYL)-4-HYDROXY-4-METHYL TETRAHYDROPYRAN )	
63500-71-0	
EC50/72 H	100 mg/l(Algae)
EC50/48 H	320 mg/l(Aquatic invertebrates)
Anisic Aldehyde (IUPAC: 4-METHOXYBENZALDEHYDE )	
123-11-5	
EC50/72 H	61 mg/l(Algae)
EC50/48 H	82,8 mg/l(Aquatic invertebrates)
LC50/96 H	148,32 mg/l(Fish)
Allyl Cyclo Hexyl Propionate (IUPAC: PROP-2-EN-1-YL 3-CYCLOHEXYLPROPANOATE )	
2705-87-5	

EC50/72 H	2,55 mg/l(Algae)
EC50/96 H	3,45 mg/l(Algae)
EC50/48 H	3,8 mg/l(Aquatic invertebrates)
EC50/24 H	7,7 mg/l(Aquatic invertebrates)
LC50/96 H	130 (Fish)
<b>Cyclamen Aldehyde (IUPAC: 2-METHYL-3-[4-(PROPAN-2-YL)PHENYL]PROPANAL )</b>	
103-95-7	
EC50/72 H	2,7 mg/l(Algae)
EC50/96 H	2,7 mg/l(Algae)
EC50/48 H	1,4 mg/l(Aquatic invertebrates)
LC50/96 H	1,092 mg/l(Fish)
<b>Helional (Helioven) (IUPAC: 3-(2H-1,3-BENZODIOXOL-5-YL)-2-METHYLPROPANAL )</b>	
1205-17-0	
EC50/72 H	14 mg/l(Aquatic algae and cyanoba)
EC50/48 H	8,3 mg/l(Aquatic invertebrates)
EC50/24 H	17 mg/l(Aquatic invertebrates)
<b>Allyl Heptanoate (IUPAC: PROP-2-EN-1-YL HEPTANOATE )</b>	
142-19-8	
EC50/72 H	778 (Algae)
EC50/48 H	890 (Aquatic invertebrates)
LC50/96 H	117 (Fish)
LC50/72 H	117 (Fish)
LC50/48 H	117 (Fish)
LC50/24 H	201 (Fish)
<b>Benzoic Aldehyde (Benzaldehyde) (IUPAC: BENZALDEHYDE )</b>	
100-52-7	
EC50/72 H	33,1 mg/l(Aquatic algae and cyanoba)
EC50/48 H	19,7 mg/l(Aquatic invertebrates)
EC50/24 H	50 mg/l(Aquatic invertebrates)
EC50/24 H	50 mg/l(Aquatic invertebrates)
LC50/96 H	13,8 mg/l(Fish)
LC50/96 H	1,07 mg/l(Fish)
<b>BHT (IUPAC: 2,6-DI-TERT-BUTYL-4-METHYLPHENOL )</b>	
128-37-0	
EC50/72 H	5 120 µg/L(Algae)
EC50/96 H	758 µg/L(Algae)
LC50/96 H	384,5 µg/L(Fish)

12.2. PERSISTENCE AND DEGRADABILITY: May cause long-term adverse effects in the aquatic environment.

ASSESSMENT No data available

BIODEGRADATION AND ELIMINATION:

12.3. BIOACCUMULATIVE POTENTIAL No further relevant information available. Low potential for bioaccumulation:  $\log Pow < 4$  ( $\log Pow_{\text{calculated}} = 0$ )

INGREDIENT	CAS №	Partition Coefficient
------------	-------	-----------------------

12.4. MOBILITY IN SOIL: No data available

GENERAL NOTES:

12.5. RESULTS OF PBT UN vPvB ASSESSMENT: This mixture does not contain substances that meet the PBT or vPvB criteria of REACH, annex XIII.



15.1. SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE:	<p>REGULATION (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. DIRECTIVE 2006/11/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 15 February 2006 on pollution caused by certain dangerous substances discharged into the aquatic environment of the Community. REGULATION (EC) No 1272/2008 (CLP) of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.</p> <p>Directive 2008/98/EC of the European Parliament and of the Council on waste and on the repeal of certain Directives. Directive 94/62/EC of the European Parliament and of the Council on packaging and packaging waste. Commission Decision 2014/955/EU amending Decision 2000/532/EC on the list of wastes pursuant to Directive of the European Parliament and of the Council 2008/98/EC (EU Waste Catalogue)</p>
INFORMATION ABOUT LIMITATION OF USE:	<p>Take note of Directive 94/33/EC on the protection of young people at work.</p> <p>Take note of Directive 92/85/EC on the safety and health of pregnant women at work.</p>
15.2. CHEMICAL SAFETY ASSESSMENT:	Not applicable.

**Full text of the classifications, including the indication of danger, the hazard symbols and the hazard statements, mentioned in section 2 or 3:**

**Revisions are mentioned by a black stroke in left margin.**

#### **ABBREVIATIONS AND ACRONYMS:**

PBT:	Persistent, bioaccumulative, toxic
vPvB:	Very persistent, very bioaccumulative
EC:	European Inventory of Existing Commercial Chemical Substances
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
ADR:	European Agreement concerning the International Carriage of Dangerous Goods
IATA:	International Air Transport Association
IMDG:	International Maritime Code for Dangerous Goods
LC50:	Median (50 %) lethal concentration
LD50:	Median (50%) lethal dose
EC50:	Effective concentration, 50 percent
CLP:	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and Mixtures
ECHA:	European Chemicals Agency, Helsinki ( <a href="http://echa.europa.eu/home_en.asp">http://echa.europa.eu/home_en.asp</a> )
TWA:	Time Weighted Average
IBC code:	International Bulk Chemical Code

MARPOL:	International Convention for the Prevention of Pollution From Ships
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
UN:	United Nations
ATE:	Acute Toxicity Estimate
DNEL	Derived No-Effect Level
PNEC	Predicted No-Effect Concentration

**The information given in this MSDS was obtained from current and reliable sources. However, these data are provided without any warranty, expressed or implied, regarding their correctness or accuracy. Since the conditions of use, handling, storage, and disposal of this product are beyond control, it is the responsibility of the user both to determine safe conditions for use as well as to assume liability for loss, damage, and expenses arising out of improper use. No warranty expressed or implied regarding the product described herein shall be created by or inferred from any statement or omission in this MSDS.**